

| 屋内照明器具特性 |                            |
|----------|----------------------------|
| 品番 (品名)  | XLY120HYB                  |
| 光源       | LED9999_65_400 x1 400.0 lm |
| 管理番号     | K0162679(0)D 1             |
| BZ分類     | BZ5                        |

|        |                  |         |      |      |      |     |     |      |     |     |     |     |     |     |     |     |     |     |     |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|------------------|---------|------|------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 器具効率   | 100%             | 天井      | 80%  |      |      |     | 70% |      |     |     | 50% |     |     |     | 30% |     |     |     | 0%  |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 壁       | 70   | 50   | 30   | 10  | 70  | 50   | 30  | 10  | 70  | 50  | 30  | 10  | 70  | 50  | 30  | 10  | 0%  |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 床       | 10%  |      |      |     | 10% |      |     |     | 10% |     |     |     | 10% |     |     |     | 0%  |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 上方光束   | 6%               | 室指数     |      |      |      |     |     |      |     |     |     |     |     |     |     |     |     |     |     | 照明率 (X0.01) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | ZCM |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 下方光束   | 94%              |         |      |      |      |     |     |      |     |     |     |     |     |     |     |     |     |     |     |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 保守率    | 良<br>中<br>否      | 0.59    | 0.6  | 5.5  | 4.2  | 3.4 | 2.9 | 5.3  | 4.1 | 3.4 | 2.8 | 5.0 | 4.0 | 3.3 | 2.8 | 4.7 | 3.8 | 3.2 | 2.8 | 2.5         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 0.57    | 0.8  | 6.4  | 5.2  | 4.4 | 3.8 | 6.2  | 5.1 | 4.4 | 3.8 | 5.9 | 4.9 | 4.3 | 3.7 | 5.6 | 4.8 | 4.2 | 3.7 | 3.4         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 0.54    | 1.0  | 7.1  | 6.0  | 5.2 | 4.6 | 6.9  | 5.8 | 5.1 | 4.5 | 6.5 | 5.6 | 5.0 | 4.4 | 6.2 | 5.4 | 4.8 | 4.4 | 4.1         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  |         | 1.25 | 7.7  | 6.6  | 5.9 | 5.3 | 7.5  | 6.5 | 5.8 | 5.2 | 7.1 | 6.3 | 5.6 | 5.1 | 6.7 | 6.0 | 5.5 | 5.0 | 4.7         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 下方投影面積 | c m <sup>2</sup> | 1.5     | 8.1  | 7.1  | 6.4  | 5.8 | 7.9 | 7.0  | 6.3 | 5.8 | 7.5 | 6.7 | 6.1 | 5.6 | 7.1 | 6.5 | 5.9 | 5.5 | 5.2 |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 2.0     | 8.6  | 7.8  | 7.2  | 6.6 | 8.4 | 7.7  | 7.1 | 6.6 | 8.0 | 7.4 | 6.9 | 6.4 | 7.6 | 7.1 | 6.7 | 6.3 | 5.9 |             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 取付高さ   | 器具間隔最大限          |         | 2.5  | 9.0  | 8.3  | 7.7 | 7.2 | 8.8  | 8.1 | 7.6 | 7.1 | 8.4 | 7.8 | 7.4 | 7.0 | 8.0 | 7.5 | 7.1 | 6.8 | 6.4         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        | 横方向 (A)          | 縦方向 (B) | 3.0  | 9.3  | 8.6  | 8.1 | 7.7 | 9.0  | 8.5 | 8.0 | 7.6 | 8.6 | 8.2 | 7.7 | 7.4 | 8.2 | 7.8 | 7.5 | 7.2 | 6.8         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 1.5m   | 1.98m            | 2.12m   | 4.0  | 9.6  | 9.1  | 8.6 | 8.3 | 9.4  | 8.9 | 8.5 | 8.1 | 9.0 | 8.6 | 8.2 | 7.9 | 8.6 | 8.3 | 8.0 | 7.7 | 7.3         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 2      | 2.61             | 2.67    | 5.0  | 9.8  | 9.4  | 9.0 | 8.6 | 9.6  | 9.2 | 8.8 | 8.5 | 9.2 | 8.9 | 8.6 | 8.3 | 8.8 | 8.5 | 8.3 | 8.1 | 7.6         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 2.5    | 3.25             | 3.25    | 7.0  | 10.0 | 9.7  | 9.4 | 9.1 | 9.8  | 9.5 | 9.3 | 9.0 | 9.4 | 9.2 | 9.0 | 8.7 | 9.1 | 8.9 | 8.7 | 8.5 | 8.1         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3      | 3.88             | 3.84    | 10.0 | 10.2 | 10.0 | 9.8 | 9.5 | 10.0 | 9.8 | 9.6 | 9.4 | 9.6 | 9.5 | 9.3 | 9.1 | 9.3 | 9.1 | 9.0 | 8.8 | 8.4         |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

