

| 屋内照明器具特性 | |
|----------|--|
| 品番 (品名) | S F 9 0 7 |
| 光源 | LDA7L - G / Z60E / S / W / 2 × 1 810.0 l m |
| 管理番号 | K0157674 (0) DB 1 |
| B Z 分類 | BZ9 / 0.9 / BZ8 |

| | | | | | | | | | | | | | | | | | | | | | | |
|--------|---------------------------|----------|-------------------|----|----|----|------|----|----|----|------|----|----|----|------|----|----|----|-----|--|--|--|
| 器具効率 | 93 % | 天井 | 80 % | | | | 70 % | | | | 50 % | | | | 30 % | | | | 0 % | | | |
| | | 壁 | 70 | 50 | 30 | 10 | 70 | 50 | 30 | 10 | 70 | 50 | 30 | 10 | 70 | 50 | 30 | 10 | 0 % | | | |
| 上方光束 | 63 % | 床 | 10 % | | | | 10 % | | | | 10 % | | | | 10 % | | | | 0 % | | | |
| 下方光束 | 30 % | 室指数 | 照明率 (X0.01) ZCM | | | | | | | | | | | | | | | | | | | |
| 保守率 | 良 0.63 中 0.6 否 0.56 | 0.6 | 41 | 30 | 23 | 18 | 36 | 26 | 20 | 16 | 28 | 21 | 16 | 12 | 20 | 15 | 11 | 9 | 3 | | | |
| | | 0.8 | 48 | 38 | 30 | 25 | 43 | 34 | 27 | 23 | 33 | 26 | 21 | 18 | 24 | 19 | 16 | 13 | 5 | | | |
| | | 1.0 | 54 | 44 | 36 | 31 | 48 | 39 | 33 | 28 | 37 | 31 | 26 | 22 | 27 | 23 | 19 | 16 | 7 | | | |
| | | 1.25 | 59 | 49 | 42 | 37 | 52 | 44 | 38 | 33 | 41 | 35 | 30 | 26 | 30 | 26 | 22 | 20 | 9 | | | |
| 下方投影面積 | c m ² | 1.5 | 62 | 54 | 47 | 41 | 56 | 48 | 42 | 38 | 44 | 38 | 34 | 30 | 32 | 28 | 25 | 22 | 11 | | | |
| | | 2.0 | 67 | 60 | 54 | 49 | 60 | 54 | 49 | 44 | 47 | 43 | 39 | 35 | 35 | 32 | 29 | 26 | 13 | | | |
| 取付高さ | 器具間隔最大限 | | 2.5 | 71 | 64 | 59 | 54 | 64 | 58 | 53 | 49 | 50 | 46 | 42 | 39 | 37 | 34 | 32 | 15 | | | |
| | 横方向 (A) | 縦方向 (B) | 3.0 | 73 | 67 | 62 | 58 | 66 | 61 | 56 | 52 | 52 | 48 | 45 | 42 | 39 | 36 | 34 | 16 | | | |
| H m | 0.00 H m | 0.00 H m | 4.0 | 76 | 71 | 67 | 63 | 68 | 64 | 61 | 57 | 54 | 51 | 48 | 46 | 41 | 39 | 37 | 18 | | | |
| | | | 5.0 | 78 | 74 | 70 | 67 | 70 | 67 | 63 | 61 | 56 | 53 | 51 | 49 | 42 | 40 | 39 | 20 | | | |
| | | | 7.0 | 80 | 77 | 74 | 71 | 72 | 70 | 67 | 65 | 58 | 56 | 54 | 52 | 44 | 43 | 41 | 22 | | | |
| | | | 10.0 | 82 | 80 | 77 | 75 | 74 | 72 | 70 | 68 | 59 | 58 | 56 | 55 | 45 | 44 | 43 | 23 | | | |

