

# 屋内照明器具特性

|         |                              |          |
|---------|------------------------------|----------|
| 品番 (品名) | SLB15783 + SLK22003 + SLK290 |          |
| 光源      | LLD3421LCB1 ×1               | 700.0 1m |
| 管理番号    | K0192483 (1) DR1             |          |
| BZ分類    | BZ1                          |          |

|        |             |                 |      |    |    |    |     |    |    |    |     |    |    |    |     |    |    |    |    |     |
|--------|-------------|-----------------|------|----|----|----|-----|----|----|----|-----|----|----|----|-----|----|----|----|----|-----|
| 器具効率   | 58%         | 天井              | 80%  |    |    |    | 70% |    |    |    | 50% |    |    |    | 30% |    |    |    | 0% |     |
|        | 上方光束        |                 | 0%   | 70 | 50 | 30 | 10  | 70 | 50 | 30 | 10  | 70 | 50 | 30 | 10  | 70 | 50 | 30 | 10 | 0%  |
| 下方光束   | 58%         | 床               | 10%  |    |    |    | 10% |    |    |    | 10% |    |    |    | 10% |    |    |    | 0% |     |
| 室指数    | 照明率 (X0.01) |                 |      |    |    |    |     |    |    |    |     |    |    |    |     |    |    |    |    | ZCM |
| 保守率    | 良           | 0.67            | 0.6  | 52 | 49 | 48 | 46  | 52 | 49 | 48 | 46  | 51 | 49 | 47 | 46  | 50 | 49 | 47 | 46 | 46  |
|        | 中           | 0.63            | 0.8  | 55 | 52 | 51 | 50  | 54 | 52 | 51 | 49  | 54 | 52 | 50 | 49  | 53 | 51 | 50 | 49 | 49  |
|        | 否           | 0.56            | 1.0  | 56 | 54 | 53 | 52  | 56 | 54 | 52 | 51  | 55 | 53 | 52 | 51  | 54 | 53 | 52 | 51 | 50  |
| 下方投影面積 | 等価発光面積      | cm <sup>2</sup> | 1.25 | 58 | 56 | 54 | 53  | 57 | 55 | 54 | 53  | 56 | 55 | 54 | 53  | 55 | 54 | 53 | 53 | 52  |
|        |             |                 | 1.5  | 58 | 57 | 56 | 55  | 58 | 56 | 55 | 54  | 57 | 56 | 55 | 54  | 56 | 55 | 54 | 54 | 53  |
| 取付高さ   | 器具間隔最大限     |                 | 2.0  | 60 | 58 | 57 | 56  | 59 | 58 | 57 | 56  | 58 | 57 | 56 | 57  | 56 | 56 | 55 | 54 |     |
|        | 横方向 (A)     | 縦方向 (B)         | 2.5  | 60 | 59 | 58 | 57  | 60 | 59 | 58 | 57  | 59 | 58 | 57 | 56  | 58 | 57 | 56 | 55 |     |
| Hm     | 0.34Hm      | 0.34Hm          | 3.0  | 61 | 60 | 59 | 58  | 60 | 59 | 58 | 58  | 59 | 58 | 58 | 57  | 58 | 57 | 57 | 56 | 55  |
|        |             |                 | 4.0  | 61 | 60 | 60 | 59  | 61 | 60 | 59 | 59  | 59 | 59 | 58 | 58  | 58 | 58 | 58 | 58 | 57  |
|        |             |                 | 5.0  | 61 | 61 | 60 | 60  | 61 | 60 | 60 | 59  | 60 | 59 | 59 | 59  | 59 | 58 | 58 | 58 | 56  |
|        |             |                 | 7.0  | 62 | 61 | 61 | 61  | 61 | 61 | 61 | 60  | 60 | 60 | 59 | 59  | 59 | 59 | 58 | 58 | 57  |
|        |             |                 | 10.0 | 62 | 62 | 62 | 61  | 61 | 61 | 61 | 60  | 60 | 60 | 60 | 60  | 59 | 59 | 59 | 59 | 57  |

