

# 屋内照明器具特性

|         |                     |           |
|---------|---------------------|-----------|
| 品番 (品名) | NTN81012 + NTN81993 |           |
| 光源      | LED3500_70_260 x1   | 260.0 l m |
| 管理番号    | K0163044 (0) DR 1   |           |
| BZ分類    | BZ5                 |           |

|        |                  |          |      |      |      |     |      |      |     |     |      |     |     |     |      |     |     |     |     |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------|------------------|----------|------|------|------|-----|------|------|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|---------------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 器具効率   | 100 %            | 天井       | 80 % |      |      |     | 70 % |      |     |     | 50 % |     |     |     | 30 % |     |     |     | 0 % |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 壁        | 70   | 50   | 30   | 10  | 70   | 50   | 30  | 10  | 70   | 50  | 30  | 10  | 70   | 50  | 30  | 10  | 0 % |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 床        | 10 % |      |      |     | 10 % |      |     |     | 10 % |     |     |     | 10 % |     |     |     | 0 % |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 上方光束   | 7 %              | 室指数      |      |      |      |     |      |      |     |     |      |     |     |     |      |     |     |     |     | 照明率 ( X0.01 ) |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | ZCM |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 下方光束   | 93 %             |          |      |      |      |     |      |      |     |     |      |     |     |     |      |     |     |     |     |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 保守率    | 良<br>中<br>否      | 0.69     | 0.6  | 5.4  | 4.2  | 3.4 | 2.9  | 5.3  | 4.1 | 3.4 | 2.8  | 5.0 | 4.0 | 3.3 | 2.8  | 4.7 | 3.8 | 3.2 | 2.7 | 2.5           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 0.67     | 0.8  | 6.4  | 5.2  | 4.4 | 3.8  | 6.2  | 5.1 | 4.4 | 3.8  | 5.9 | 4.9 | 4.2 | 3.7  | 5.5 | 4.7 | 4.1 | 3.7 | 3.4           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  |          | 1.0  | 7.1  | 6.0  | 5.2 | 4.6  | 6.9  | 5.8 | 5.1 | 4.5  | 6.5 | 5.6 | 4.9 | 4.4  | 6.1 | 5.4 | 4.8 | 4.3 | 4.0           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 0.63     | 1.25 | 7.7  | 6.7  | 5.9 | 5.3  | 7.4  | 6.5 | 5.8 | 5.2  | 7.0 | 6.2 | 5.6 | 5.1  | 6.7 | 6.0 | 5.4 | 5.0 | 4.7           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 下方投影面積 | c m <sup>2</sup> | 1.5      | 8.1  | 7.2  | 6.4  | 5.9 | 7.9  | 7.0  | 6.3 | 5.8 | 7.4  | 6.7 | 6.1 | 5.6 | 7.0  | 6.4 | 5.9 | 5.5 | 5.2 |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  | 2.0      | 8.6  | 7.9  | 7.2  | 6.7 | 8.4  | 7.7  | 7.1 | 6.6 | 8.0  | 7.4 | 6.9 | 6.4 | 7.6  | 7.1 | 6.6 | 6.3 | 5.9 |               |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 取付高さ   | 器具間隔最大限          |          | 2.5  | 9.0  | 8.3  | 7.7 | 7.3  | 8.8  | 8.1 | 7.6 | 7.2  | 8.3 | 7.8 | 7.4 | 7.0  | 7.9 | 7.5 | 7.1 | 6.8 | 6.4           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        | 横方向 (A)          | 縦方向 (B)  | 3.0  | 9.3  | 8.7  | 8.1 | 7.7  | 9.0  | 8.5 | 8.0 | 7.6  | 8.6 | 8.1 | 7.7 | 7.4  | 8.2 | 7.8 | 7.5 | 7.2 | 6.7           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| H m    | 1.28 H m         | 1.27 H m | 4.0  | 9.6  | 9.1  | 8.7 | 8.3  | 9.4  | 8.9 | 8.5 | 8.2  | 8.9 | 8.6 | 8.2 | 7.9  | 8.5 | 8.2 | 7.9 | 7.7 | 7.3           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  |          | 5.0  | 9.8  | 9.4  | 9.0 | 8.7  | 9.6  | 9.2 | 8.8 | 8.5  | 9.1 | 8.8 | 8.5 | 8.3  | 8.7 | 8.5 | 8.2 | 8.0 | 7.6           | 7.6 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  |          | 7.0  | 10.0 | 9.7  | 9.4 | 9.2  | 9.8  | 9.5 | 9.3 | 9.0  | 9.4 | 9.2 | 8.9 | 8.7  | 9.0 | 8.8 | 8.6 | 8.4 | 8.0           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|        |                  |          | 10.0 | 10.2 | 10.0 | 9.8 | 9.6  | 10.0 | 9.8 | 9.6 | 9.4  | 9.6 | 9.4 | 9.2 | 9.1  | 9.2 | 9.1 | 8.9 | 8.8 | 8.3           |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

