




# 非常用照明器具特性



|                  |                  |       |       |
|------------------|------------------|-------|-------|
| 品番               | XLF433NTNC(WALL) |       |       |
| 名称               |                  |       |       |
| 光源               | LED5000/97/445   |       |       |
| 管理番号             | K0168485(2)DR1   |       |       |
| 光束               | 8900mm x 1.00    |       |       |
| 保守率              | 0.92             |       |       |
| 適用品番             | 設計照度Eを得るための読取照度  |       |       |
|                  | E=2.0            | E=1.0 | E=0.5 |
| XLF433NTNC(WALL) | 2.4              | 1.2   | 0.6   |
| 備考               | 非常点灯時の照度(30分後)   |       |       |



|      |                   |  |    |                 |
|------|-------------------|--|----|-----------------|
| 品番   | XLF433NTNC( WALL) |  |    |                 |
| 名称   |                   |  |    |                 |
| 光源   | LED5000/97/445    |  |    |                 |
| 管理番号 | K0168485( 2) DR 1 |  |    |                 |
| 光束   | 890.0 1 m * 1.00  |  | 備考 | 非常点灯時の照度 (30分後) |
| 保守率  | 0.92              |  |    |                 |

非常灯配置表

|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 器具取付高さ (m)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 単体配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 直線配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 四角配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 壁からの距離 (最大) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 器具取付高さ (m)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 単体配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 直線配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 四角配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 壁からの距離 (最大) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 器具取付高さ (m)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 単体配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 直線配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 四角配置        |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 壁からの距離 (最大) |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

階段配置表

| 器具取付高さ (m) |       |     | 1.0 | 1.5 | 2.0 | 2.5  | 3.0  | 4.0  | 5.0  | 6.0  | 7.0 |
|------------|-------|-----|-----|-----|-----|------|------|------|------|------|-----|
| Y=1.0 (m)  | 2.0Lx | X+  | 5.4 | 6.3 | 6.9 | 7.4  | 7.9  | 8.6  | 9.1  | 9.4  | 9.6 |
|            |       | X-  | 0.3 | 0.3 | 0.4 | 0.5  | 0.5  | 0.6  | 0.7  | 0.6  | 0.4 |
| 1.0Lx      | X+    | 7.0 | 8.0 | 8.8 | 9.5 | 10.1 | 11.0 | 11.8 | 12.4 | 13.0 |     |
|            | X-    |     |     |     |     |      |      |      |      |      |     |
| Y=1.5 (m)  | 2.0Lx | X+  | 5.1 | 6.1 | 6.8 | 7.3  | 7.8  | 8.5  | 9.0  | 9.3  | 9.5 |
|            |       | X-  | 0.1 | 0.3 | 0.3 | 0.4  | 0.5  | 0.6  | 0.6  | 0.5  | 0.3 |
| 1.0Lx      | X+    | 6.7 | 7.9 | 8.7 | 9.4 | 10.0 | 11.0 | 11.7 | 12.4 | 12.9 |     |
|            | X-    |     |     |     |     |      |      |      |      |      |     |
| Y=2.0 (m)  | 2.0Lx | X+  | 4.7 | 5.8 | 6.6 | 7.2  | 7.7  | 8.4  | 8.9  | 9.2  | 9.4 |
|            |       | X-  | 0.0 | 0.1 | 0.2 | 0.3  | 0.4  | 0.5  | 0.5  | 0.4  | 0.2 |
| 1.0Lx      | X+    | 6.4 | 7.6 | 8.5 | 9.3 | 9.9  | 10.9 | 11.6 | 12.3 | 12.8 |     |